

Test Group Summary Report

C06A Organochlorine Pesticides in Water

June 2026 PT Round

Issued: August 10, 2026

Table of Contents

1.0	The Proficiency Testing Report	1
2.0	Definitions	1
3.0	Scoring System	1
3.1	Homogeneity and Stability Assessment	2
3.2	The z score	2
3.2	Composite (PT) Score	2
3.3	Identifying Bias	2
3.4	Deviations from Evaluation Procedure	3
4.0	PT Round Specific Data Summary	3
4.1	Summary statistics	3
4.2	z - Score Plots	3
4.3	kernel density plots	3
4.4	stability and homogeneity Plots	3
4.5	Box-and-Whisker Plots	3
4.6	Historic Comparison Plot	3
	Annex A Summary by Analyte	4

1.0 The Proficiency Testing Report

The Proficiency Testing Report consists of two parts.

- *PTC Proficiency Testing Report*: This report contains participant-specific data and other confidential information. This report is emailed to participants at the end of the PT round.
- *Test Group Summary Report*: A Test Group Summary Report is created for each quantified test group at the end of the PT round. These reports contain more detailed information on the round than is found in the participant-specific PTC Proficiency Testing Report. These reports do not contain any confidential information and are made available on the PTC web site.

2.0 Definitions

The participant-specific PTC Proficiency Testing Report contains some terms that new participants may not be familiar with.

<i>Code</i> :	The registration code that is unique to each analyte that a participant is registered for.
<i>App</i> :	If a participant is accredited by CALA, this three-digit number is the appendix number that the accredited method is assigned to.
<i>N</i> :	The number of participants results that were used to calculate the summary statistics. This excludes qualified data (e.g., <) and any results that were flagged as outliers.
<i>Assigned</i> :	The Assigned Value is the robust mean of the reported results, outliers excluded. This is often referred to as the “target” value.
<i>±u</i> :	The uncertainty of the assigned value.
<i>Reported</i> :	The result reported by the participant.
<i>s</i> :	The Standard Deviation of Proficiency Assessment (SDPA). This value is used to determine the acceptance limits for the PT evaluation.
<i>z-Score</i> :	A value assigned to each reported result that is a measure of the degree to which it deviates from the Assigned Value.
<i>Score</i> :	The composite score of the four results reported for each analyte. It is normalized to a score out of 100.
<i>Bias</i> :	A flag assigned if bias is detected using the re-scaled z-score procedure.

3.0 Scoring System

Participant performance is evaluated for each proficiency testing sample by a quantitative method that is consistent with ISO/IEC 17043 – *Conformity assessment- General requirements for the competence of proficiency testing providers*, the *International Harmonized Protocol for Proficiency Testing of (Chemical) Analytical Laboratories* (2006), and ISO 13528:2015 *Statistical methods for use in proficiency testing by interlaboratory comparisons*.

The following is a brief description of the evaluation procedure used by PTC. The detailed evaluation procedure is described in PROC09 – PT Evaluation *Procedure*, which is available on the PTC website www.PTCCanada.org).

3.1 HOMOGENEITY AND STABILITY ASSESSMENT

Homogeneity and stability are assessed using participant data. Regression analysis is performed on reported result against order of sample production (Homogeneity) and reported result against date of analysis (Stability). If the slope is significantly different than zero for either then the Standard Deviation of Proficiency Assessment (s) is increased to minimize the impact.

3.2 THE Z SCORE

A "z-score" is calculated for each reported result as follows:

$$z - Score = \frac{(x - \bar{X})}{SDPA} \quad \text{where: } \begin{array}{l} x = \text{participant result;} \\ \bar{X} = \text{the Assigned Value;} \\ SDPA = \text{the Standard Deviation for Proficiency Assessment.} \end{array}$$

The assigned value $\bar{X}$ is generally estimated from the inter-laboratory Robust mean after outliers due to obvious gross errors (e.g., reported in wrong units) have been removed.

The Standard Deviation for Proficiency Assessment, s, is determined as follows:

- The inter-laboratory Robust standard deviation ($Stdev_{rob}$) is calculated using reported results, obvious outliers removed;
- The regression equation standard deviation ($Stdev_{reg}$) is estimated from regression equations derived from previous studies (see PROC11- *PT Regression Equations* for details);
- The SDPA is the higher of $Stdev_{rob}$ and $Stdev_{reg}$;
- When a laboratory reports its detection limit, s will be estimated using a pooled variance procedure that uses both the inter-laboratory data and the reported detection limit.

3.2 COMPOSITE (PT) SCORE

Since each PT round involves four or two separate samples of distinct concentration for each test, it is necessary to calculate a composite PT score for each test to determine overall performance. The composite score is calculated by first averaging the absolute z-scores for the four results and then calculating a final score as $100 + (-15 \times \text{avg } |z|)$.

Acceptable PT Scores equal or exceed 70.

3.3 IDENTIFYING BIAS

The proficiency testing report provides flags for bias. These are determined using the re-scaled z-score procedure.

$$RSZ = \frac{\sum z}{\sqrt{N}} \quad \text{where } \begin{array}{l} z = \text{the z- score} \\ N = \text{the number of samples} \end{array}$$

Flags are assigned for each test group/parameter combination as follows:

$$RSZ \geq -2 \text{ and } \leq 2 \text{ no flag assigned}$$

RSZ > 2	H (High)
RSZ > 3	VH (Very High)
RSZ < -2	L (LOW)
RSZ < -3	VL (Very Low)

3.4 DEVIATIONS FROM EVALUATION PROCEDURE

Other than changes to the Standard Deviation of Proficiency Assessment due to homogeneity or stability flags, any deviation from the published evaluation procedure is described on the cover page(s) of the final *PTC Proficiency Testing Report*.

4.0 PT Round Specific Data Summary

The following pages provide more detailed information about the PT round indicated in the cover page of this report than is found in the participant-specific PTC Proficiency Testing Report. The graphical representations and the statistical summaries are based upon the data after outliers have been removed.

4.1 SUMMARY STATISTICS

In addition to some of the statistics found in the customer reports, this table includes additional summary statistics such as Median, different measures of dispersion, the number of outliers removed, the number of results in the Questionable range ($|z|$ between 2 and 3) and the Unacceptable range ($z > 3$), and whether a data set was flagged for Homogeneity or Stability. This section also includes sorted scatter plots of the data for each sample.

4.2 z - SCORE PLOTS

The z-scores for each sample are ranked in increasing order and plotted. When the data is normally distributed, the plot should show a slight sigmoidal curve, with an equal number of points above zero as below. Each bar in these plots is colour-coded to indicate the analytical method used by the participant.

4.3 KERNEL DENSITY PLOTS

Kernel density plots are generated for each data set. These plots are a graphical way to represent the overall data distribution and are used to visualize possible deviations from normality and unimodality.

4.4 STABILITY AND HOMOGENEITY PLOTS

Plots of reported result against analysis date, and reported result against order of bottling are displayed, along with the regression line. These regression analyses are used to determine if the SDPA should be adjusted due to homogeneity or stability.

4.5 BOX-AND-WHISKER PLOTS

Box-and-Whisker plots are another way to display the distribution of the data. The box denotes the first and third quartile and the whiskers are the 5th and 95th percentile.

4.6 HISTORIC COMPARISON PLOT

The Historic Comparison Plot is a plot of robust mean against robust standard deviation for the previous ten PT rounds as well as the current PT round. This plot can be used to identify possible changes in the sample formulation.

a - Chlordane


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	19	19	19	19
Median µg/L	2.38	4.60	1.00	3.38
Robust Mean µg/L	2.34	4.43	1.02	3.42
Uncertainty of the Assigned Value µg/L	0.104	0.246	0.0705	0.132
Robust Standard Deviation µg/L	0.363	0.859	0.246	0.459
Regression Standard Deviation µg/L	0.444	0.840	0.193	0.650
Stability Flag				
Homogeneity Flag			Homogeneity	Homogeneity
Standard Deviation Used (SDPA) µg/L	0.444	0.859	0.447	0.821
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	1	2	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	5	5	5	5
GC/ECD (Red)	7	7	7	7
GC/MS/MS (Green)	6	6	6	6
GCXGC/ECD (Orange)	1	1	1	1

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers






* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

a - Chlordane



a - Chlordane



A -BHC


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	22	20	22	22
Median µg/L	2.83	0.328	1.31	1.83
Robust Mean µg/L	2.80	0.328	1.31	1.84
Uncertainty of the Assigned Value µg/L	0.135	0.0116	0.0805	0.0874
Robust Standard Deviation µg/L	0.505	0.0415	0.302	0.328
Regression Standard Deviation µg/L	0.694	0.0862	0.328	0.458
Stability Flag				
Homogeneity Flag			Homogeneity	
Standard Deviation Used (SDPA) µg/L	0.694	0.0862	0.468	0.458
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	1	1	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	7	6	7	7
GC/ECD (Red)	8	7	8	8
GC/MS/MS (Green)	6	6	6	6
GCXGC/ECD (Orange)	1	1	1	1

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers






* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

A-BHC



A -BHC



Aldrin


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	19	19	19	19
Median µg/L	3.42	4.72	2.60	0.700
Robust Mean µg/L	3.27	4.72	2.56	0.702
Uncertainty of the Assigned Value µg/L	0.204	0.176	0.174	0.0336
Robust Standard Deviation µg/L	0.713	0.613	0.607	0.117
Regression Standard Deviation µg/L	0.755	1.08	0.597	0.185
Stability Flag				Stability
Homogeneity Flag			Homogeneity	
Standard Deviation Used (SDPA) µg/L	0.755	1.08	0.837	0.212
Flagged Outliers	1	1	1	1
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	0	0	0
Failure Rate %*	5.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	7	7	7	7
GC/ECD (Red)	7	7	7	7
GC/MS/MS (Green)	5	5	5	5

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.



Aldrin



Aldrin



Box and Whisker Plots



Dieldrin


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	21	20	21	21
Median µg/L	5.31	0.395	3.84	2.43
Robust Mean µg/L	5.18	0.376	3.85	2.46
Uncertainty of the Assigned Value µg/L	0.242	0.0225	0.243	0.120
Robust Standard Deviation µg/L	0.888	0.0805	0.890	0.441
Regression Standard Deviation µg/L	1.07	0.0915	0.796	0.514
Stability Flag				
Homogeneity Flag		Homogeneity	Homogeneity	
Standard Deviation Used (SDPA) µg/L	1.07	0.111	1.41	0.514
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	0	0	1
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/ECD (Blue)	7	7	7	7
GC/MS (Red)	7	6	7	7
GCXGC/ECD (Green)	1	1	1	1
GC/MS/MS (Orange)	6	6	6	6



All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers



* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

Dieldrin





Endosulfan I


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	22	20	21	21
Median µg/L	2.81	0.536	1.45	1.90
Robust Mean µg/L	2.70	0.602	1.43	1.84
Uncertainty of the Assigned Value µg/L	0.226	0.115	0.148	0.190
Robust Standard Deviation µg/L	0.847	0.412	0.541	0.698
Regression Standard Deviation µg/L	0.667	0.161	0.361	0.460
Stability Flag				
Homogeneity Flag	Homogeneity			
Standard Deviation Used (SDPA) µg/L	1.32	0.412	0.541	0.698
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	1	0	0
$2 < z < 3$	0	1	4	3
Failure Rate %*	9.1			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS/MS (Blue)	6	6	6	6
GCXGC/ECD (Red)	1	1	1	1
GC/MS (Green)	7	6	6	6
GC/ECD (Orange)	8	7	8	8

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.


Endosulfan I




Endosulfan I



Box and Whisker Plots



Current Round (blue) Compared to Historic Rounds (green)



Endosulfan II


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	20	19	19	19
Median µg/L	2.90	0.460	2.25	1.20
Robust Mean µg/L	2.48	0.433	2.12	1.17
Uncertainty of the Assigned Value µg/L	0.335	0.0327	0.194	0.0708
Robust Standard Deviation µg/L	1.20	0.114	0.677	0.247
Regression Standard Deviation µg/L	0.550	0.133	0.476	0.284
Stability Flag			Stability	
Homogeneity Flag	Homogeneity			
Standard Deviation Used (SDPA) µg/L	2.04	0.133	1.28	0.284
Flagged Outliers	1	1	1	1
$ z > 3.0$	0	3	0	2
$2 < z < 3$	0	0	0	1
Failure Rate %*	14.3			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS/MS (Blue)	6	6	6	6
GC/MS (Red)	6	5	5	5
GC/ECD (Green)	8	8	8	8

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.



Endosulfan II



Endosulfan II



Box and Whisker Plots



Endrin


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	21	21	21	21
Median µg/L	2.60	0.661	1.44	2.08
Robust Mean µg/L	2.62	0.653	1.55	2.06
Uncertainty of the Assigned Value µg/L	0.115	0.0322	0.113	0.0982
Robust Standard Deviation µg/L	0.420	0.118	0.414	0.360
Regression Standard Deviation µg/L	0.600	0.176	0.371	0.481
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/L	0.600	0.176	0.414	0.481
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	0	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/ECD (Blue)	8	8	8	8
GC/MS (Red)	7	7	7	7
GCXGC/ECD (Green)	1	1	1	1
GC/MS/MS (Orange)	5	5	5	5

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers



* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

Endrin



Endrin



g - Chlordane


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	18	18	18	18
Median µg/L	4.14	0.609	3.34	2.48
Robust Mean µg/L	4.10	0.627	3.41	2.55
Uncertainty of the Assigned Value µg/L	0.197	0.0362	0.242	0.136
Robust Standard Deviation µg/L	0.669	0.123	0.822	0.463
Regression Standard Deviation µg/L	0.704	0.110	0.586	0.440
Stability Flag				
Homogeneity Flag	Homogeneity		Homogeneity	
Standard Deviation Used (SDPA) µg/L	1.09	0.123	1.42	0.463
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	2	0	1
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	5	5	5	5
GC/ECD (Red)	7	7	7	7
GC/MS/MS (Green)	6	6	6	6

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers






* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

g - Chlordane



g - Chlordane



Heptachlor


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	19	19	19	19
Median µg/L	0.800	3.03	1.91	1.02
Robust Mean µg/L	0.805	2.87	2.15	1.02
Uncertainty of the Assigned Value µg/L	0.0545	0.195	0.209	0.0625
Robust Standard Deviation µg/L	0.190	0.680	0.728	0.218
Regression Standard Deviation µg/L	0.265	0.943	0.707	0.334
Stability Flag	Stability			
Homogeneity Flag			Homogeneity	Homogeneity
Standard Deviation Used (SDPA) µg/L	0.325	0.943	1.34	0.447
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	1	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	6	6	6	6
GC/ECD (Red)	7	7	7	7
GCXGC/ECD (Green)	1	1	1	1
GC/MS/MS (Orange)	5	5	5	5

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.


Heptachlor




Heptachlor



Box and Whisker Plots



Current Round (blue) Compared to Historic Rounds (green)



Heptachlor Epoxide


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	18	16	18	18
Median µg/L	2.54	0.162	2.33	1.50
Robust Mean µg/L	2.50	0.161	2.39	1.48
Uncertainty of the Assigned Value µg/L	0.148	0.0117	0.202	0.0686
Robust Standard Deviation µg/L	0.503	0.0373	0.686	0.233
Regression Standard Deviation µg/L	0.457	0.0736	0.439	0.290
Stability Flag				
Homogeneity Flag			Homogeneity	
Standard Deviation Used (SDPA) µg/L	0.503	0.0736	0.960	0.290
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	1
$2 < z < 3$	1	0	0	0
Failure Rate %*				

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	6	5	6	6
GC/ECD (Red)	8	8	8	8
GC/MS/MS (Green)	4	3	4	4

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.


Heptachlor Epoxide




Heptachlor Epoxide



Box and Whisker Plots



Current Round (blue) Compared to Historic Rounds (green)



Lindane (gamma-BHC)


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	22	22	22	21
Median µg/L	2.71	1.05	2.30	0.560
Robust Mean µg/L	2.74	1.06	2.31	0.573
Uncertainty of the Assigned Value µg/L	0.118	0.0381	0.122	0.0225
Robust Standard Deviation µg/L	0.442	0.143	0.458	0.0825
Regression Standard Deviation µg/L	0.641	0.248	0.542	0.134
Stability Flag				
Homogeneity Flag			Homogeneity	
Standard Deviation Used (SDPA) µg/L	0.641	0.248	0.744	0.134
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	1	0	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	7	7	7	6
GC/ECD (Red)	8	8	8	8
GCXGC/ECD (Green)	1	1	1	1
GC/MS/MS (Orange)	6	6	6	6

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.


Lindane (gamma-BHC)




Lindane (gamma-BHC)



Box and Whisker Plots



Current Round (blue) Compared to Historic Rounds (green)



Mirex


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	18	19	19	19
Median µg/L	0.416	0.900	1.65	2.20
Robust Mean µg/L	0.470	0.863	1.73	2.44
Uncertainty of the Assigned Value µg/L	0.0607	0.103	0.208	0.260
Robust Standard Deviation µg/L	0.206	0.360	0.725	0.907
Regression Standard Deviation µg/L	0.144	0.241	0.452	0.627
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/L	0.206	0.360	0.725	0.907
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	0	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	5	5	5	5
GC/MS/MS (Red)	6	6	6	6
GC/ECD (Green)	6	7	7	7
GCXGC/ECD (Orange)	1	1	1	1

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers






* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

Mirex



Mirex



o,p'- DDT


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	20	19	20	20
Median µg/L	1.85	0.600	2.62	1.15
Robust Mean µg/L	1.91	0.597	2.82	1.17
Uncertainty of the Assigned Value µg/L	0.0864	0.0220	0.205	0.0470
Robust Standard Deviation µg/L	0.309	0.0767	0.735	0.168
Regression Standard Deviation µg/L	0.421	0.153	0.607	0.270
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/L	0.421	0.153	0.735	0.270
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	1	0	1	1
Failure Rate %*	5.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	5	4	5	5
GC/MS/MS (Red)	6	6	6	6
GCXGC/ECD (Green)	1	1	1	1
GC/ECD (Orange)	8	8	8	8

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers






* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

o,p'- DDT



o,p'- DDT



p,p' - DDT


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	21	20	21	21
Median µg/L	2.06	0.360	2.87	1.60
Robust Mean µg/L	2.01	0.368	2.80	1.62
Uncertainty of the Assigned Value µg/L	0.0576	0.0128	0.157	0.0535
Robust Standard Deviation µg/L	0.211	0.0459	0.574	0.196
Regression Standard Deviation µg/L	0.510	0.111	0.702	0.415
Stability Flag				
Homogeneity Flag			Homogeneity	
Standard Deviation Used (SDPA) µg/L	0.510	0.111	0.876	0.415
Flagged Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	6	5	6	6
GCXGC/ECD (Red)	1	1	1	1
GC/ECD (Green)	8	8	8	8
GC/MS/MS (Orange)	6	6	6	6

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers




* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.


p,p' - DDT




p,p' - DDT



Box and Whisker Plots



Current Round (blue) Compared to Historic Rounds (green)



p,p' Methoxychlor


Summary Statistics

Statistic	C06A-1	C06A-2	C06A-3	C06A-4
No. of results used for summary statistics	20	20	19	20
Median µg/L	2.68	2.34	0.460	1.74
Robust Mean µg/L	2.67	2.40	0.481	1.75
Uncertainty of the Assigned Value µg/L	0.0892	0.0707	0.0226	0.0562
Robust Standard Deviation µg/L	0.319	0.253	0.0787	0.201
Regression Standard Deviation µg/L	0.607	0.550	0.150	0.415
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/L	0.607	0.550	0.150	0.415
Flagged Outliers	0	0	0	0
$ z > 3.0$	0	0	0	0
$2 < z < 3$	0	0	1	0
Failure Rate %*	0.0			

Methods Used



Method	C06A-1	C06A-2	C06A-3	C06A-4
GC/MS (Blue)	7	7	6	7
GC/MS/MS (Red)	5	5	5	5
GC/ECD (Green)	8	8	8	8

All summary stats, except the failure rate, and the plots below are based on the data excluding any flagged outliers



* Displayed failure rate does not account for the RDL modified z-Scores or inaccurately reported non-detects.

p,p' Methoxychlor



p,p' Methoxychlor

